

03500.014241



*Cofe*  
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:	)	
	:	Examiner: Brian K. Talbot
NOBUHIRO ITO	)	
	:	Art Unit: 1762
Appln. No.: 09/505,627	)	
	:	
Filed: February 16, 2000	)	
	:	
For: MANUFACTURING METHOD OF	)	
ELECTRON BEAM APPARATUS AND	:	
SPACER, AND ELECTRON BEAM	)	
APPARATUS	:	
	)	
U.S. Patent No.: 7,067,171 B2	:	
	)	
Issued: June 27, 2006	:	November 16, 2006

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION  
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors that appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

11/20/2006 HANDED1 03000055 7067171

01 FC:1811


100.00 OP

NOV 21 2006

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

  
Jason M. Okun  
Attorney for Patentee  
Registration No. 48,512

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200  
603026v1

NOV 21 2006

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,067,171 B2

DATED : June 27, 2006

INVENTOR(S) : NOBUHIRO ITO

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1

Line 23, "“MIM type”).” should read --“MIM type”).--.

COLUMN 4

Line 11, “110 Pa.” should read -- $10^{-4}$  Pa.--.

COLUMN 13

Line 23, “nitride” should read --nitrides--.

COLUMN 14

Line 20, “the” should read --a--.

COLUMN 17

Line 8, “even the” should read --even if the--.

COLUMN 20

Line 50, “DX1” should read --Dx1--.

COLUMN 23

Line 26, “the” (second occurrence) should be deleted.

COLUMN 27

Line 20, “device-” should read --device--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,067,171 B2

No. of add'l. copies  
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

603026v1

NOV 21 2006

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,067,171 B2

DATED : June 27, 2006

INVENTOR(S) : NOBUHIRO ITO

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 30

Line 26, "line memory 115" should read --line memory 1705--.

COLUMN 36

Line 8, "trajectory" should read --trajectory,--.

COLUMN 42

Line 14, "Embodiment I." should read --Embodiment 1.--.

COLUMN 43

Line 1, "uAccording" should read --According--;  
Line 28, "poison" should read --position--; and  
Line 36, "in" should be deleted.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,067,171 B2

No. of add'l. copies  
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

603026v1

NOV 21 2006



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,067,171 B2  
DATED : June 27, 2006  
INVENTOR(S) : NOBUHIRO ITO

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1

Line 23, "“MIM type”).” should read --“MIM type”).--.

COLUMN 4

Line 11, “110 Pa.” should read -- $10^{-4}$  Pa.--.

COLUMN 13

Line 23, “nitride” should read --nitrides--.

COLUMN 14

Line 20, “the” should read --a--.

COLUMN 17

Line 8, “even the” should read --even if the--.

COLUMN 20

Line 50, “DX1” should read --Dx1--.

COLUMN 23

Line 26, “the” (second occurrence) should be deleted.

COLUMN 27

Line 20, “device-” should read --device--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,067,171 B2

No. of add'l. copies  
@ 30¢ per page

NOV 21 2006



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,067,171 B2

DATED : June 27, 2006

INVENTOR(S) : NOBUHIRO ITO

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 30

Line 26, "line memory 115" should read --line memory 1705--.

COLUMN 36

Line 8, "trajectory" should read --trajectory,--.

COLUMN 42

Line 14, "Embodiment I." should read --Embodiment 1.--.

COLUMN 43

Line 1, "uAccordinging" should read --Accordinging--;  
Line 28, "poison" should read --position--; and  
Line 36, "in" should be deleted.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,067,171 B2

No. of add'l. copies  
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

603026v1

NOV 21 2006

